




World Health
Organization

Representative Office
for Viet Nam

Tiêm chủng vắc xin COVID-19 có ảnh hưởng đến khả năng sinh sản của tôi?




Không có bằng chứng khoa học về việc vắc xin ảnh hưởng đến khả năng sinh sản ở nam giới hay nữ giới. Vắc xin COVID-19 không thể can thiệp đến hoạt động của cơ quan sinh sản. Vì vậy bạn hãy yên tâm rằng vắc xin COVID-19 sẽ không ảnh hưởng đến khả năng sinh sản của bạn.



World Health
Organization

Representative Office
for Viet Nam

Could being vaccinated affect my fertility?



There is no scientific evidence or truth behind the myth that vaccines interfere with fertility, either in men or women. There is no way that COVID-19 vaccines could interfere with the functioning of the reproductive organs. So you can rest assured that these vaccines will not affect your fertility.



World Health
Organization

Representative Office
for Viet Nam

Tôi có thể tiêm vắc xin khi đang có kinh nguyệt hay không?

Không có lý do gì để
không tiêm vắc xin nếu
bạn đang có kinh nguyệt.





World Health
Organization

Representative Office
for Viet Nam

Can people get the vaccine even if they are menstruating?

There is no reason not to get vaccinated if you are menstruating.





World Health
Organization

Representative Office
for Viet Nam

Tôi đang mang thai. Tôi có thể tiêm vắc xin COVID-19 hay không?

Mang thai khiến cho bà mẹ có nguy cơ mắc COVID-19 nặng hơn, nhưng hiện tại có rất ít dữ liệu đánh giá tính an toàn của vắc xin phòng COVID-19 trong thời kỳ mang thai.

Phụ nữ mang thai có thể được tiêm vắc xin phòng COVID-19 nếu lợi ích của việc tiêm phòng lớn hơn nguy cơ tiềm ẩn do vắc xin.

Phụ nữ mang thai có nguy cơ cao phơi nhiễm với vi rút SARS-CoV-2 (ví dụ: cán bộ y tế), hoặc tăng nguy cơ mắc bệnh nặng (đang mắc bệnh nền) nên tư vấn với bác sỹ để cân nhắc về việc tiêm vắc xin phòng COVID-19.





World Health
Organization

Representative Office
for Viet Nam

I am pregnant. Can I be vaccinated?

While pregnancy puts women at higher risk of severe COVID-19, very little data are available to assess vaccine safety in pregnancy.

Pregnant women may receive the vaccine if the benefit of vaccinating a pregnant woman outweighs the potential vaccine risks.

For this reason, pregnant women at high risk of exposure to SARS-CoV-2 (e.g. health workers) or who have comorbidities which add to their risk of severe disease, may be vaccinated in consultation with their health care provider.





World Health
Organization

Representative Office
for Viet Nam

Tôi đang cho con bú, có nên tiêm vắc xin hay không?

Có. Phụ nữ sau sinh và bà mẹ đang cho con bú có thể tiêm vắc xin nếu có sẵn vắc xin.

Tiêm vắc xin an toàn cho cả mẹ và bé. Vì vậy bạn không cần phải tạm ngưng cho con bú sau khi tiêm vắc xin.



Vector: Freepik.com



**World Health
Organization**

Representative Office
for Viet Nam

I'm breastfeeding. Can I be vaccinated?

Yes. Women who have given birth and who are breastfeeding their babies can take the vaccine when it becomes available to them. This is safe for both mother and baby, so you do not need to stop breastfeeding after receiving the vaccine.



Vector: Freepik.com